

Large Sizes



The Fincibec Group offers a wide range of large-format porcelain stoneware tiles, available in a variety of colours, finishes and material effects to suit any design requirement. These slabs combine refined aesthetics with lightness and high technical performance, making them an ideal choice for both residential settings and commercial spaces.



Fincibec Group offre un'ampia selezione di piastrelle in gres porcellanato di grande formato, disponibili in molteplici tonalità, finiture ed effetti materici, per adattarsi a qualsiasi esigenza progettuale. Queste lastre combinano estetica raffinata, leggerezza e alte performance tecniche, garantendo soluzioni ideali per ambienti residenziali e spazi commerciali.

Large Sizes

fine porcelain
stoneware large sizes |
grandi lastre
in gres fine porcellanato

introduction

advance tech	2
performance & surfaces	4
range	6

images gallery


marble look	12
stone look	24
concrete look	32

tech specs

summary	98
slip resistance	102
weights and packaging	104
technical specifications	106

large sizes

advance tech



Large Sizes by Fincibec

Large-format porcelain slabs are the perfect solution for all types of interiors – ideal for flooring, wall coverings and worktops – offering a perfect balance between style and functionality. With a broad selection of finishes and looks inspired by the latest trends, large-format porcelain stoneware meets every aesthetic need, creating a seamless visual flow that enhances any space.

Le lastre in gres porcellanato di grande formato sono la scelta ideale per ogni tipo di ambiente: perfette per pavimenti, rivestimenti e piani di lavoro, offrono un equilibrio ottimale tra estetica e funzionalità. Con una vasta gamma di finiture e stili ispirati a diverse tendenze, il gres porcellanato grande formato risponde a tutte le esigenze estetiche, creando una percezione di continuità visiva che arricchisce ogni spazio.

1. AESTHETIC CONTINUITY continuità di posa

The large size of slabs requires significantly less grouting, creating a pleasing effect of continuity. Grazie alle grandi dimensioni delle lastre diminuisce significativamente la presenza di fughe; le superfici offrono così un piacevole effetto di continuità estetica.

2. QUICK INSTALLATION velocità di posa

Large sizes are suitable for flooring and covering surfaces with single pieces, while minimising cuts and waste. I grandi formati sono ideali per pavimentare e rivestire le superfici con pezzi unici, minimizzando tagli e sfridi.

3. VALORISATION OF MATERIAL valorizzazione materica

The material effects of marble, stone, resin and cement are enhanced by large sizes, enriching the environment in which they are laid. Gli effetti materici dei marmi, delle pietre, delle resine e dei cementi vengono esaltati dai grandi formati, impreziosendo l'ambiente in cui vengono posati.

4. AMPLE POTENTIAL USE ampie possibilità d'utilizzo

Large size slabs can be used for traditional uses, such as floors, claddings and facades, but also to create structures and objects that are coordinated with the rest of the environment. Le lastre di grande formato possono essere impiegate per utilizzi tradizionali, come pavimenti, rivestimenti e facciate, ma anche per realizzare strutture e oggetti d'arredo coordinati con il resto dell'ambiente.

5. INTEGRATION WITH EXISTING COLLECTIONS integrazione con collezioni esistenti

Large slabs use graphic and material-based expressions consistent with traditional products already available in the product range, this guaranteeing the same aesthetic effect in a wider range of sizes. Le grandi lastre utilizzano espressività grafiche e materiche coerenti con i prodotti in formato tradizionale già presenti in gamma, garantendo quindi il medesimo effetto estetico in un più ampio numero di formati.

Infinity versatility



1. RESIDENTIAL residenziale



4. RESTAURANTS ristoranti




7. EXTERNAL FACADES facciate esterne




2. COMMERCIAL commerciale



5. AIRPORT aeroporti



8. OFFICE uffici



3. PUBLIC BUILDINGS edifici pubblici



6. HOTEL hotel

surfaces

Natural surface

The natural finish captures the original essence of the material and underlines its aesthetic qualities, such as colouring, veins and textures. Resistant and versatile, the natural surface finish is recommended for use on floors and walls in residential and commercial.

La finitura naturale permette di cogliere l'originale essenza materica del prodotto esaltandone le qualità estetiche, incluse le colorazioni e le eventuali venature e texture. Resistente e versatile, questa superficie è indicata per la posa a pavimento e a parete negli spazi residenziali e commerciali.

Natural Evolution surface



The natural finish allows you to capture the original material essence of the product, enhancing its aesthetic qualities, including the colours, veining, and textures. Durable and versatile, this surface is ideal for both flooring and wall applications in residential, commercial and public spaces. Developed in Fincibec's laboratories using Natural Evolution technology, this next-generation surface offers a good slip resistance combined with a soft, pleasant feel. The result is an incredibly realistic finish, highly valued by designers.

La finitura naturale permette di cogliere l'originale essenza materica del prodotto esaltandone le qualità estetiche, incluse le colorazioni e le eventuali venature e texture. Resistente e versatile, questa superficie è indicata per la posa a pavimento e a parete negli spazi residenziali, commerciali e pubblici. Inoltre, questa superficie naturale di ultima generazione realizzata dai laboratori Fincibec (Natural Evolution), è caratterizzata da una buona resistenza allo scivolamento abbinata a una gradevole morbidezza al tatto. Il risultato è una finitura estremamente realistica, molto apprezzata dai progettisti.

Soft surface

The soft finish offers a versatility similar to that of a natural finish and has been designed to give the tile a soft, satiny appearance. It can be used for walls and floors in residential and commercial settings, subject to checks on specifications and resistance to stress.

La finitura soft, caratterizzata da una versatilità simile a quella della finitura naturale, è ideata per conferire alla materia ceramica un aspetto morbido e satinato, ed è indicata per rivestire pareti e pavimenti di ambienti residenziali e commerciali con le opportune verifiche sulle sollecitazioni e specifiche previste.

Lapped and Brushed surface

Lapping and brushing are specialised ceramic surface treatment that creates a subtle yet consistent sheen, following the material's natural structure. Lapped and brushed surfaces evoke the charm of time-worn stone, enhancing the product's aesthetics, colour depth, and the realistic details of its various patterns. Used for both flooring and wall applications, lapped and brushed tiles are particularly suited to residential spaces but can also elevate the design of commercial and public areas.


La lappatura e la molatura sono particolari lavorazioni della superficie ceramica in grado di produrre un leggero ma continuo effetto lucido che asseconda in maniera uniforme la struttura del materiale. Le superfici lappate e molate evocano il fascino della materia vissuta ed esaltano l'estetica del prodotto, la profondità dei colori e il realismo dei dettagli delle diverse grafiche. Impiegati nel rivestimento di pavimenti e pareti, i prodotti lappati e molati sono particolarmente indicati negli spazi residenziali, ma possono arricchire anche il design degli spazi commerciali e pubblici.

Polished surface


Porcelain stoneware with a polished surface takes on a mirror sheen, underlining the colours and veining of the materials inspiring it and creating a marble effect. The gloss of polished porcelain stoneware suggests use as a wall covering, for indoor flooring in the home and, after determining the expected levels of stress, in commercial spaces not subject to heavy traffic.

Il gres porcellanato con superficie levigata assume la lucentezza di uno specchio, esaltando le colorazioni e le venature dei materiali d'ispirazione ad effetto marmo. La brillantezza dei prodotti levigati ne suggerisce l'impiego per il rivestimento delle pareti, per la creazione di pavimenti negli spazi interni in ambito residenziale e, con opportune verifiche sulle sollecitazioni previste, in ambito commerciale leggero.

marble look



stone look



concrete look

TITAN Indium Century p. 84	BLADE Pure Monocibec p. 85	REACTION Reflex Century p. 86	FOYER Carnet Naxos p. 87	TITAN Platinum Century p. 88
REACTION Element Damask Century p. 89	BLADE Sward Monocibec p. 90	REACTION Oxygen Damask Century p. 91	TITAN Aluminium Century p. 92	REACTION Atom Century p. 93
REACTION Electron Damask Century p. 94	ESPRIT Energy Monocibec p. 95	TITAN Corten Century p. 96		

index

***** CENIURY FINCIBEC GROUP			***** MONOCIBEC FINCIBEC GROUP			***** NAXOS FINCIBEC GROUP		
MEDLEY	Breeze	p. 46	ON STAGE	Victoria	p. 42	RHAPSODY	White Beauty	p. 44
	Prince	p. 47		Boulevard	p. 43		Caravaggio Gold	p. 59
	Ambience	p. 50		Adelphi	p. 55		Dark Wave	p. 61
	Jubilant	p. 53	TRANSALP	Brenta	p. 45	SERENADE	Harmony	p. 49
	Build	p. 57					Astral	p. 52
CONTACT	Majesty	p. 58	AZIMUTH	Gravity	p. 62		Cosmic	p. 60
	Stone White	p. 48		Vector	p. 71	MOCKUP	Floralia	p. 54
	Mystic	p. 51	MYTHOLOGY	Alpha	p. 82		Carnet	p. 87
ROCKNEST	Vogue	p. 56		Saturna White	p. 63			
	Stonehill	p. 64		Saturna Ivory	p. 66			
	Firestone	p. 68		Regia Beige	p. 67			
	Monolith	p. 69		Regia White	p. 72			
	Hilltop	p. 70		Regia Silver	p. 73			
	Granitic	p. 74		Anthos	p. 77			
	Devon Grey	p. 75		Devon Light	p. 78			
	Dover Monolith	p. 79	CHARISMA	Luxor	p. 65			
	Claybay	p. 80		Trend	p. 76			
TITAN	Devon Dark	p. 81		Imperial	p. 83			
	Indium	p. 84	BLADE	Pure	p. 85			
	Platinum	p. 88		Sward	p. 90			
	Aluminium	p. 92	ESPRIT					
REACTION	Corten	p. 96		Energy	p. 95			
	Reflex	p. 86						
	Element Damask	p. 89						
	Oxygen Damask	p. 91						
	Atom	p. 93						
	Electron Damask	p. 94						

Images Gallery

marble look	p. 12
stone look	p. 24
concrete look	p. 32



★★★★★
MONOCIBEC
FINCIBEC GROUP

ON STAGE
WALL victoria 120x278 - 47"x109,5" brushed rect., groove victoria 30x120 - 12"x47" nat. rect.
FLOOR victoria 120x120 - 47"x47" nat. rect.



CENIURY
FINCIBEC GROUP

MEDLEY

WALL prince 120x278 - 47"x109,5" | 60x120 - 24"x47" brushed rect., optic prince 60x120 - 24"x47" nat. rect.
FLOOR prince 120x120 - 47"x47" brushed rect.



★★★★★
NAXOS
FINCIBE GROUP

MOCKUP

WALL lastra floralia 120x278 - 47"x109,5" nat. rect., portofino white 60x120 - 24"x47" nat. rect.,
portofino black 60x120 - 24"x47" nat. rect., floralia 60x120 - 24"x47" nat. rect., brick portofino black 29x32 - 11,4"x12,6"
FLOOR portofino black 60x60 - 24"x24" nat. rect.



CONTACT

WALL vogue 120x278 - 47"x109,5" brushed rect., mosaico skill elegance 31x34 cm - 12"x13"
FLOOR elegance 120x120 - 47"x47" brushed rect., vogue 120x120 - 47"x47" brushed rect.



★★★★★
NAXOS
FINCIBE GROUP

RHAPSODY

WALL caravaggio gold 120x278 - 47"x109.5" | 60x120 - 24"x47" polished rect., emotion 60x120 - 24"x47" polished rect.
FLOOR caravaggio gold 60x60 - 24"x24" polished rect.



★★★★★
NAXOS
FINCIBE GROUP

SERENADE
WALL cosmic 120x278 - 47"x109,5" | 60x120 - 24"x47" polished rect.
FLOOR Nest 20x120 - 8"x47" nat. rect.



★★★★★
MONOCIBEC
FINCIBEC GROUP

MYTHOLOGY

WALL saturna white 120x278 - 47"x109,5" brushed rect.
FLOOR saturna white 60x120 - 24"x47" nat. rect.



★★★★★
CENIURY
FINCIBEC GROUP

ROCKNEST

WALL stonehill 120x278 - 47"x109,5" brushed rect., more stonehill 60x120 - 24"x47" nat. rect.

INDOOR FLOOR stonehill 120x120 - 47"x47" brushed rect.

OUTDOOR FLOOR stonehill 60x120 - 24"x47" grip rect.



★ ★ ★ ★ ★
MONOCIBEC
FINCIBEC GROUP

AZIMUTH
WALL alpha 120x278 - 47"x109,5" brushed rect. | 60x120 - 24"x47" brushed rect., fascia obsidian 60x120 - 24"x47" brushed rect.
FLOOR alpha 60x120 - 24"x47" nat. rect.





★★★★★
MONOCIBEC®
FINCIBEC GROUP

CHARISMA
WALL imperial 120x278 - 47"x109,5" lapped rect.
FLOOR dakota 120x120 - 47"x47" lapped rect.



★★★★★
NAXOS
FINCIBEC GROUP

FOYER
WALL carnet 120x278 - 47"x109,5" nat. rect.
FLOOR masque 60x120 - 24"x47" nat. rect.





★★★★★
MONOCIBEC
FINCIBEC GROUP

ESPRIT
WALL energy 120x278 - 47"x109,5" nat. rect., mosaico motion energy 39x20 - 15"x8"
FLOOR ashley chestnut 20x120 - 8"x47" nat. rect.



The Range

marble look

ON STAGE	Victoria	p. 42
	Boulevard	p. 43
	Adelphi	p. 55
RHAPSODY	White Beauty	p. 44
	Caravaggio Gold	p. 59
	Dark Wave	p. 61
TRANSALP	Brenta	p. 45
MEDLEY	Breeze	p. 46
	Prince	p. 47
	Ambience	p. 50
	Jubilant	p. 53
	Build	p. 57
CONTACT	Majesty	p. 58
	Stone White	p. 48
	Mystic	p. 51
SERENADE	Vogue	p. 56
	Harmony	p. 49
	Astral	p. 52
COSMIC	Cosmic	p. 60
	Floralia	p. 54

stone look

AZIMUTH	Gravity	p. 62
	Vector	p. 71
	Alpha	p. 82
MYTHOLOGY	Saturna White	p. 63
	Saturna Ivory	p. 66
	Regia Beige	p. 67
	Regia White	p. 72
	Regia Silver	p. 73
	Anthos	p. 77
ROCKNEST	Devon Light	p. 78
	Stonehill	p. 64
	Firestone	p. 68
	Monolith	p. 69
	Hilltop	p. 70
	Granitic	p. 74
	Devon Grey	p. 75
CHARISMA	Dover Monolith	p. 79
	Claybay	p. 80
	Devon Dark	p. 81
LUXOR	Luxor	p. 65
	Trend	p. 76
	Imperial	p. 83

concrete look

TITAN	Indium	p. 84
	Platinum	p. 88
	Aluminium	p. 92
	Corten	p. 96
BLADE	Pure	p. 85
	Sward	p. 90
REACTION	Reflex	p. 86
	Element Damask	p. 89
	Oxygen Damask	p. 91
	Atom	p. 93
FOYER	Electron Damask	p. 94
	Carnet	p. 87
	Energy	p. 95

marble look

Victoria

On Stage



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
135796 | brushed rect.
■ 213

9 mm

120x120 47"x47"
133035 | brushed rect.
■ 143
133028 | natural rect.
■ 127



C4

floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio

brushed

C5

floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso

natural



marble look

Boulevard

On Stage



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
135795 | brushed rect.
■ 213

9 mm

120x120 47"x47"
133041 | brushed rect.
■ 143
133034 | natural rect.
■ 127



C4

floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio

brushed

C5

floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso

natural



marble look

White Beauty

Rhapsody



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
138450 | polished rect.
■ 253



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio polished

marble look

Brenta

Transalp



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
138446 | polished rect.
■ 253



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio polished

marble look

Breeze

Medley



fine porcelain stoneware |
gres fine porcellanato




7 mm

120x278 47"x109,5"
136548 | brushed rect.
■ 213

9 mm

120x120 47"x47"
136287 | brushed rect.
■ 143



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed



marble look

Prince

Medley



fine porcelain stoneware |
gres fine porcellanato




7 mm

120x278 47"x109,5"
136547 | brushed rect.
■ 213

9 mm

120x120 47"x47"
136289 | brushed rect.
■ 143



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed



marble look

Stone White

Contact



fine porcelain stoneware |
gres fine porcellanato






7 mm

120x278 47"x109,5"
138419 | brushed rect.
■ 213

9 mm

120x120 47"x47"
128647 | brushed rect.
■ 143
128641 | natural rect.
■ 127



marble look

Harmony

Serenade





fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
138452 | polished rect.
■ 253



marble look

Ambience

Medley



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
136545 | brushed rect.
■ 213

9 mm

120x120 47"x47"
136284 | brushed rect.
■ 143



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed



marble look

Mystic

Contact



fine porcelain stoneware |
gres fine porcellanato




7 mm

120x278 47"x109,5"
138355 | brushed rect.
■ 213

9 mm

120x120 47"x47"
128646 | brushed rect.
■ 143
128640 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural



marble look

Astral

Serenade



fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
138451 | polished rect.
■ 253



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio polished

marble look

Jubilant

Medley



fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
136543 | brushed rect.
■ 213



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

marble look


Floralia

Mockup

fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
136928 | nat. rect.
■ 213



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio natural



marble look

Adelphi

On Stage

fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
135797 | brushed rect.
■ 213

9 mm
120x120 47"x47"
133039 | brushed rect.
■ 143
133032 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural



marble look

Vogue

Contact



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
138354 | brushed rect.
■ 213

9 mm

120x120 47"x47"
128645 | brushed rect.
■ 143
128639 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural



marble look

Build

Medley




fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
136756 | brushed rect.
■ 223



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed



marble look

Majesty

Medley



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
136544 | brushed rect.
■ 213

9 mm

120x120 47"x47"
136283 | brushed rect.
■ 143



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed



marble look

Caravaggio Gold

Rhapsody



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
138447 | polished rect.
■ 253



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio polished



marble look

Cosmic

Serenade



fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
137771 | polished rect.
■ 253



C4 floor tiles recommended for medium traffic areas
piastrelle da pavimento consigliate per calpestio medio polished

marble look

Dark Wave

Rhapsody



fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
138448 | polished rect.
■ 253



C4 floor tiles recommended for medium traffic areas
piastrelle da pavimento consigliate per calpestio medio polished

stone look

Gravity

Azimuth



fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm



120x278 47"x109,5"
135754 | brushed rect.
■ 213

⌞ 9 mm

120x120 47"x47"
133020 | brushed rect.
■ 143
133015 | natural rect.
■ 127



V2 LIGHT VARIATION
LIEVE VARIAZIONE



stone look

Saturna White

Mythology




fine porcelain stoneware |
gres fine porcellanato




⌞ 7 mm

120x278 47"x109,5"
141115 | brushed rect.
■ 213



V2 LIGHT VARIATION
LIEVE VARIAZIONE



stone look

Stonehill

Rocknest



fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
141258 | brushed rect.
■ 213

⌞ 9 mm

120x120 47"x47"
140840 | brushed rect.
■ 143
141062 | soft rect.
■ 127
140828 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural
soft



stone look

Luxor

Charisma



fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
138442 | lapped rect.
■ 213

⌞ 9 mm

120x120 47"x47"
107699 | lapped rect.
■ 143
107695 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio lapped

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural



stone look

Saturna Ivory

Mythology



fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
141117 | brushed rect.
■ 213



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

stone look

Regia Beige

Mythology



fine porcelain stoneware |
gres fine porcellanato




⌞ 7 mm

120x278 47"x109,5"
141738 | brushed rect.
■ 213

⌞ 9 mm

120x120 47"x47"
141098 | brushed rect.
■ 143
141074 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural

stone look

Firestone

Rocknest



fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
141755 | brushed rect.
■ 213

⌞ 9 mm

120x120 47"x47"
140849 | brushed rect.
■ 143
141054 | soft rect.
■ 127
140838 | natural rect.
■ 127



C4	floor tiles recommended for medium traffic areas piastrelle da pavimento consigliate per calpestio medio	brushed
----	---	---------

C5	floor tiles suitable for heavy traffic piastrelle da pavimento consigliate per calpestio intenso	natural soft
----	---	-----------------



stone look

Monolith

Rocknest



fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
140777 | brushed rect.
■ 213

⌞ 9 mm

120x120 47"x47"
140847 | brushed rect.
■ 143
141057 | soft rect.
■ 127
140836 | natural rect.
■ 127



C4	floor tiles recommended for medium traffic areas piastrelle da pavimento consigliate per calpestio medio	brushed
----	---	---------

C5	floor tiles suitable for heavy traffic piastrelle da pavimento consigliate per calpestio intenso	natural soft
----	---	-----------------



stone look

Hilltop

Rocknest



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
140776 | brushed rect.
■ 213

9 mm

120x120 47"x47"
140842 | brushed rect.
■ 143
141058 | soft rect.
■ 127
140831 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural
soft



stone look

Vector

Azimuth



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
135755 | brushed rect.
■ 213

9 mm

120x120 47"x47"
133019 | brushed rect.
■ 143
133014 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural



stone look

Regia White

Mythology



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
141736 | brushed rect.
■ 213

9 mm

120x120 47"x47"
141096 | brushed rect.
■ 143
141072 | natural rect.
■ 127



V2 LIGHT VARIATION
LIEVE VARIAZIONE

C4

floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio

brushed

C5

floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso

natural



stone look

Regia Silver

Mythology



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
141737 | brushed rect.
■ 213

9 mm

120x120 47"x47"
141097 | brushed rect.
■ 143
141073 | natural rect.
■ 127



V2 LIGHT VARIATION
LIEVE VARIAZIONE

C4

floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio

brushed

C5

floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso

natural



stone look

Granitic

Rocknest



fine porcelain stoneware |
gres fine porcellanato




⌞ 7 mm

120x278 47"x109,5"
140778 | brushed rect.
■ 213

⌞ 9 mm

120x120 47"x47"
140848 | brushed rect.
■ 143
141055 | soft rect.
■ 127
140837 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso natural
soft



stone look

Devon Grey

Rocknest



fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
140629 | brushed rect.
■ 223



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed



stone look

Trend

Charisma



fine porcelain stoneware |
gres fine porcellanato





7 mm

120x278 47"x109,5"
137878 | lapped rect.
■ 213

9 mm

120x120 47"x47"
107698 | lapped rect.
■ 143
107694 | natural rect.
■ 127



stone look

Anthos

Mythology





fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
141159 | brushed rect.
■ 223



stone look

Devon Light

Rocknest



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
140630 | brushed rect.
■ 223



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

stone look

Dover Monolith

Rocknest



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
140631 | brushed rect.
■ 223



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio brushed

stone look

Claybay

Rocknest



fine porcelain stoneware |
gres fine porcellanato





7 mm

120x278 47"x109,5"
140784 | brushed rect.
■ 213

9 mm

120x120 47"x47"
140843 | brushed rect.
■ 143
141051 | soft rect.
■ 127
140832 | natural rect.
■ 127



stone look

Devon Dark

Rocknest





fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
140628 | brushed rect.
■ 223



stone look

Alpha

Azimuth



fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
135753 | brushed rect.
■ 213

9 mm
120x120 47"x47"
133016 | brushed rect.
■ 143
133011 | natural rect.
■ 127



C4 floor tiles recommended for medium traffic areas
piastrelle da pavimento consigliate per calpestio medio brushed

C5 floor tiles suitable for heavy traffic
piastrelle da pavimento consigliate per calpestio intenso natural



stone look

Imperial

Charisma



fine porcelain stoneware |
gres fine porcellanato



7 mm
120x278 47"x109,5"
140072 | lapped rect.
■ 213

9 mm
120x120 47"x47"
107693 | natural rect.
■ 127



C4 floor tiles recommended for medium traffic areas
piastrelle da pavimento consigliate per calpestio medio lapped

C5 floor tiles suitable for heavy traffic
piastrelle da pavimento consigliate per calpestio intenso natural



concrete look

Indium

Titan



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
138425 | natural rect.
■ 203

9 mm

120x120 47"x47"
107217 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio 7 mm

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso 9 mm



concrete look

Pure

Blade



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
138439 | natural rect.
■ 203

9 mm

120x120 47"x47"
118475 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio 7 mm

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso 9 mm



concrete look

Reflex

Reaction



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
136597 | natural rect.
■ 203

120x120 47"x47"
136866 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio natural



concrete look

Carnet

Foyer



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
136953 | natural rect.
■ 213



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio natural



concrete look

Platinum

Titan



fine porcelain stoneware |
gres fine porcellanato





7 mm

120x278 47"x109,5"
138426 | natural rect.
■ 203

9 mm

120x120 47"x47"
107216 | natural rect.
■ 127



concrete look

Element Damask

Reaction





fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
136593 | natural rect.
■ 213



concrete look

Sword

Blade



fine porcelain stoneware |
gres fine porcellanato





⌞ 7 mm

120x278 47"x109,5"
138440 | natural rect.
■ 203

⌞ 9 mm

120x120 47"x47"
118474 | natural rect.
■ 127



concrete look

Oxygen Damask

Reaction





fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
136592 | natural rect.
■ 213



concrete look

Aluminium

Titan



fine porcelain stoneware |
gres fine porcellanato





⌞ 7 mm

120x278 47"x109,5"
138420 | natural rect.
■ 203

⌞ 9 mm

120x120 47"x47"
106241 | natural rect.
■ 127



concrete look

Atom

Reaction





fine porcelain stoneware |
gres fine porcellanato



⌞ 7 mm

120x278 47"x109,5"
136596 | natural rect.
■ 203



concrete look

Electron Damask

Reaction



fine porcelain stoneware |
gres fine porcellanato



7 mm

120x278 47"x109,5"
136567 | natural rect.
■ 213



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio

natural

concrete look

Energy

Esprit



fine porcelain stoneware |
gres fine porcellanato




7 mm

120x278 47"x109,5"
138443 | natural rect.
■ 203

9 mm

120x120 47"x47"
125794 | natural rect.
■ 163



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio

7 mm

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso

9 mm

concrete look

Corten

Titan



fine porcelain stoneware |
gres fine porcellanato




7 mm

120x278 47"x109,5"
138424 | natural rect.
■ 203

9 mm

120x120 47"x47"
106240 | natural rect.
■ 127



C4 floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio 7 mm

C5 floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso 9 mm



Summary



sizes | formati

fine porcelain stoneware large slabs |
grandi lastre in gres fine porcellanato



marble look

stone look

													
⌞ 7 mm 120x278 47"x109,5" brushed rect.	●	●	●	●	●	●	●	●	●	●	●	●	●
⌞ 7 mm 120x278 47"x109,5" polished rect.													
⌞ 7 mm 120x278 47"x109,5" lapped rect.													
⌞ 7 mm 120x278 47"x109,5" natural rect.													



concrete look

ROCKNEST Granitic	ROCKNEST Devon Grey	ROCKNEST Devon Light	ROCKNEST Dover Monolith	ROCKNEST Claybay	ROCKNEST Devon Dark	TITAN Indium	REACTION Reflex	TITAN Platinum	REACTION Element Damask	REACTION Oxygen Damask	TITAN Aluminium	REACTION Atom	REACTION Electron Damask	TITAN Corten
•	•	•	•	•	•									
						•	•	•	•	•	•	•	•	•

	•	•	•	•	•	•	•		•	•	•	•	
⌞ 9 mm 120x120 47"x47" brushed rect.													
⌞ 9 mm 120x120 47"x47" lapped rect.													
⌞ 9 mm 120x120 47"x47" soft rect.									•	•	•	•	
⌞ 9 mm 120x120 47"x47" natural rect.			•		•		•		•	•	•	•	
⌞ 7 mm 120x120 47"x47" natural rect.													

•				•									
•				•									
•				•		•		•			•		•
						•	•						

Summary

sizes | formati

fine porcelain stoneware large slabs |
grandi lastre in gres fine porcellanato

***** MONOCIBEC® FINCIBEC GROUP													
marble look				stone look									
	ON STAGE Victoria	ON STAGE Boulevard	TRANSALP Brenta	ON STAGE Adelphi	AZIMUTH Gravity	MYTHOLOGY Saturna White	CHARISMA Luxor	MYTHOLOGY Saturna Ivory	MYTHOLOGY Regia Beige	AZIMUTH Vector	MYTHOLOGY Regia White	MYTHOLOGY Regia Silver	CHARISMA Trend
⌞ 7 mm 120x278 47"x109,5" brushed rect.	●	●		●	●	●		●	●	●	●	●	
⌞ 7 mm 120x278 47"x109,5" polished rect.			●										
⌞ 7 mm 120x278 47"x109,5" lapped rect.							●						●
⌞ 7 mm 120x278 47"x109,5" natural rect.													

⌞ 9 mm 120x120 47"x47" brushed rect.	●	●		●	●				●	●	●	●	
⌞ 9 mm 120x120 47"x47" lapped rect.							●						●
⌞ 9 mm 120x120 47"x47" soft rect.													
⌞ 9 mm 120x120 47"x47" natural rect.	●	●		●	●		●		●	●	●	●	●
⌞ 7 mm 120x120 47"x47" natural rect.													

***** MONOCIBEC® FINCIBEC GROUP					
concrete look					
MYTHOLOGY Anthos	AZIMUTH Alpha	CHARISMA Imperial	BLADE Pure	BLADE Sword	ESPRIT Energy
●	●				
			●	●	●

	●				
	●	●	●	●	●

***** NAXOS® FINCIBEC GROUP							
marble look				concrete look			
RHAPSODY White Beauty	SERENADE Harmony	SERENADE Astral	MOCKUP Floralla	RHAPSODY Caravaggio Gold	SERENADE Cosmic	RHAPSODY Dark Wave	FOYER Carnet
●	●	●		●	●	●	
			●				●

Large Sizes

fine porcelain stoneware |
gres fine porcellanato

 slip resistance | scivolosità

STANDARD - NORMA STANDARD						
	B.C.R.A. (D.M.I. n. 236 μ>0,40)	ANSI A 326.3 (DCOF WET >0,42)	DIN EN 16165 Annex B	DIN EN 16165 Annex A	BS EN 16165 Annex C	AS 4586
Azimuth						
NATURAL	> 0,40	> 0,42	R10	A+B	-	-
BRUSHED	-	> 0,42	-	-	-	-
Blade						
NATURAL	> 0,40	> 0,42	R10	-	-	-
Charisma						
NATURAL	> 0,40	> 0,42	R9	-	-	-
LAPPED	-	> 0,42	-	-	-	-
Contact						
NATURAL	> 0,40	> 0,42	R10	A+B	≥ 36 Dry ≥ 36 Wet	Class P3
BRUSHED	-	> 0,42	-	-	-	-
Esprit						
NATURAL	> 0,40	> 0,42	R10	A+B	≥ 36 Dry ≥ 36 Wet	Class P3
Foyer						
NATURAL	-	-	R9	-	-	-
Medley						
BRUSHED	-	> 0,42	-	-	-	-
Mockup						
NATURAL	-	> 0,42	R10	A+B	≥ 36 Dry ≥ 36 Wet	Class P3
Mythology						
NATURAL	> 0,40	> 0,42	R10	A+B	≥ 36 Dry ≥ 36 Wet	Class P3
BRUSHED	> 0,40	> 0,42	-	-	-	-
On Stage						
NATURAL	> 0,40	> 0,42	R10	A+B	-	-
BRUSHED	-	> 0,42	-	-	-	-

Large Sizes

fine porcelain stoneware |
gres fine porcellanato

STANDARD - NORMA STANDARD						
	B.C.R.A. (D.M.I. n. 236 μ>0,40)	ANSI A 326.3 (DCOF WET >0,42)	DIN EN 16165 Annex B	DIN EN 16165 Annex A	BS EN 16165 Annex C	AS 4586
Reaction						
NATURAL	> 0,40	> 0,42	R10	A+B	-	-
Rhapsody						
POLISHED	-	-	-	-	-	-
Rocknest						
NATURAL	> 0,40	> 0,42	R10	A+B	≥ 36 Dry ≥ 36 Wet	Class P3
BRUSHED	> 0,40	> 0,42	-	-	-	-
SOFT	> 0,40	> 0,42	R9	-	-	-
Serenade						
POLISHED	-	-	-	-	-	-
Titan						
NATURAL	> 0,40	> 0,42	R9	-	-	-
Transalp						
POLISHED	-	-	-	-	-	-

for specific certificates and data, contact Fincibec SPA.
per certificati specifici, e valori puntuali, contattare Fincibec SPA.

Large Sizes

fine porcelain stoneware |
gres fine porcellanato

weights and packaging | pesi e imballi

120x278 7 mm			120x120 9 mm			120x120 7 mm		
cassa 287x130x36			cavalla 290x75x160					
Pc.	20	36	Pc.	2	2	Pc.	20	24
M²	66,72	120,096	M²	2,88	2,88	M²	57,60	69,12
Kg	1228,00	146,00	Kg	58,00	50,20	Kg	50,20	1160,00

use classes | categorie d'impiego

C1

floor tiles recommended
for low traffic areas
piastrelle da pavimento
consigliate per calpestio lieve

C2

floor tiles recommended
for light traffic areas
piastrelle da pavimento
consigliate per calpestio leggero

C3

floor tiles recommended
for medium-light traffic areas
piastrelle da pavimento
consigliate per calpestio medio leggero

C4

floor tiles recommended
for medium traffic areas
piastrelle da pavimento consigliate
per calpestio medio

brushed
polished
natural
lapped
7 mm

C5

floor tiles suitable
for heavy traffic
piastrelle da pavimento
consigliate per calpestio intenso

natural
soft
9 mm

tiles for walls
piastrelle per
rivestimento pareti

tiles for floors
piastrelle per
rivestimento pavimenti

colour variations | variazioni cromatiche

V1 EVEN APPEARANCE
ASPETTO UNIFORME

V2 LIGHT VARIATION
LIEVE VARIAZIONE

V3 MEDIUM VARIATION
MEDIA VARIAZIONE

V4 STRONG VARIATION
INTENSA VARIAZIONE

it is necessary to take the tiles from several different boxes when laying them.
è indispensabile all'atto della posa, prelevare le piastrelle da più confezioni.

notes | note

Fincibec reserves the right to modify its products without prior notice and cannot be held liable for direct or indirect damage caused by such modifications.
i prodotti possono essere modificati da Fincibec senza preavviso, respingendo ogni responsabilità su possibili danni diretti o indiretti causati da potenziali modifiche.

always refer to the price list in force to ensure correct information and data on codes, packaging, and weight.
verificare sempre la correttezza delle informazioni e dei dati relativi a codici, imballaggi e pesi, consultando il listino prezzi in vigore.

the colour shades and the graphics show in the catalogue are purely indicative.
le tonalità dei colori e le grafiche riportate nel catalogo sono puramente indicative.

Large Sizes

fine porcelain stoneware |
gres fine porcellanato

warnings | avvertenze

7 mm porcelain stoneware slabs for floors |
lastre in gres porcellanato 7 mm impiego a pavimento

The Fincibec Group's 7 mm porcelain stoneware slabs are innovative high-performance solutions for floors and walls in homes and in commercial premises with a low footfall. Given their limited thickness, 7 mm format slabs are not suitable for floors in locations with flows of heavy, concentrated loads or the circulation of forklift trucks. Before laying a floor with 7 mm slabs, a perfectly level and completely stabilised screed is necessary. The slabs must be laid by expert professionals, creating the required expansion joints and applying the adhesive with the “double spreading” technique, which optimises the distribution of the product and avoids empty spaces that could cause cracking. During restructuring work, the weight of 7 mm ceramic slabs means they can be laid without having to remove and dispose of existing floor and wall coverings. This type of application depends on the condition of the underlying surface, which, whatever the material (ceramic, marble or other natural stones), must be free of cracks, perfectly level and stable. It is essential to call in an expert designer to assess the use of 7 mm slabs for floors. When the underlying surface presents irreversible stability problems or the screed has not been correctly laid, they should be restored before the slabs are laid.

Le lastre Fincibec Group in gres porcellanato con spessore 7 mm sono soluzioni innovative e performanti per la realizzazione di pavimenti e rivestimenti in ambito residenziale e negli spazi commerciali a traffico leggero. Per le caratteristiche legate allo spessore contenuto, la posa a pavimento dei grandi formati 7 mm è da evitare nelle situazioni in cui sia previsto il passaggio di carichi pesanti e concentrati o, comunque, il transito di carrelli. Prima di realizzare una pavimentazione con lastre 7 mm è indispensabile predisporre un massetto perfettamente planare e completamente stagionato. La posa delle lastre deve essere effettuata da professionisti esperti, rispettando i giunti di dilatazione previsti e applicando l'adesivo secondo la tecnica cosiddetta “della doppia spalmatura” che ottimizza la distribuzione del prodotto ed evita che vengano lasciati spazi vuoti, potenziale causa di rotture. In fase di ristrutturazione, il peso delle superfici ceramiche 7 mm permette la posa sulle pavimentazioni e sui rivestimenti preesistenti, senza procedere preventivamente alla demolizione e allo smaltimento. Questa tipologia di impiego è strettamente legata alle condizioni del sottofondo che, indipendentemente dal materiale (ceramica, marmo o altre pietre naturali), deve risultare privo di fessurazioni, perfettamente planare e stabile. Il coinvolgimento di un progettista esperto è indispensabile per valutare l'effettivo impiego a pavimento delle soluzioni 7 mm. In caso di sottofondo con problemi irreversibili di stabilità o di massetto realizzato non a regola d'arte, si consiglia il ripristino degli stessi prima di procedere con la posa.

polished surface | superfici lucide

Polished, lapped or honed porcelain stoneware slabs with a high gloss and perfectly smooth surface are suitable for both walls and floors, although they should be restricted to homes or commercial premises subject to limited stress. They should not be used when specific slip- or skid-resistant properties are necessary. To limit the risk of accidental scratches, use of devices that absorb humidity and collect dirt is advisable when the polished floor is in direct contact with an outdoor environment. Made with carefully selected raw materials and state-of-the-art production technologies, Fincibec Group polished ceramic surfaces offer all the advantages of porcelain stoneware such as easy cleaning and sanitation.

L'utilizzo delle lastre in gres porcellanato con finitura lucida, lappata o levigata, caratterizzate da grande lucentezza e da una superficie perfettamente liscia, è possibile sia per il rivestimento in parete sia per il pavimento, con l'accortezza di riservare la posa agli spazi interni di ambito residenziale e a quelli commerciali sottoposti a sollecitazioni limitate. In particolare, è da evitare in tutte le situazioni in cui siano necessarie specifiche prestazioni antiscivolo e antisdrucchiolo. Per limitare il rischio di graffi accidentali, si consiglia l'adozione di dispositivi per l'assorbimento dell'umidità e la raccolta della sporcizia nelle situazioni in cui il pavimento lucido si trovi a diretto contatto con l'ambiente esterno. Realizzate con materie prime attentamente selezionate e attraverso un procedimento che impiega le più avanzate tecnologie produttive, le superfici ceramiche lucide Fincibec Group offrono le migliori qualità del gres porcellanato come la facilità di pulizia e di igienizzazione.

technical specifications | coloured porcelain stoneware
caratteristiche tecniche | gres fine porcellanato colorato in massa
STANDARDS: UNI EN 14411 ANNEX G - Bla | ISO 13006 ANNEX G - Bla



	TECHNICAL DATA CARATTERISTICHE TECNICHE		STANDARD OF TEST TIPO DI PROVA	INTERNATIONAL STANDARDS VALORI PRESCRITTI DALLE NORME			AVERAGE VALUE VALORE MEDIO	
	SIZE CHARACTERISTICS CARATTERISTICHE DIMENSIONALI			REQUIREMENTS FOR NOMINAL SIZE N				
				7 cm ≤ N < 15 cm	N ≥ 15 cm			
				mm	%	mm		
	SIDES LATI	FOR NON-RECTIFIED TILES PIASTRELLE NON RETTIFICATE	EN ISO 10545-2	± 0,9	± 0,6	± 2,0	COMPLYING CONFORME	
		FOR RECTIFIED TILES PIASTRELLE RETTIFICATE		± 0,4	± 0,3	± 1,0		
	THICKNESS SPESSORE		EN ISO 10545-2	± 0,5	± 5,0	± 0,5	COMPLYING CONFORME	
	STRAIGHTNESS OF SIDES RETTILINEITÀ DEGLI SPIGOLI	FOR NON-RECTIFIED TILES PIASTRELLE NON RETTIFICATE	EN ISO 10545-2	± 0,8	± 0,5	± 1,5	COMPLYING CONFORME	
		FOR RECTIFIED TILES PIASTRELLE RETTIFICATE		± 0,4	± 0,3	± 0,8		
	RECTANGULARITY ORTOGONALITÀ	FOR NON-RECTIFIED TILES PIASTRELLE NON RETTIFICATE	EN ISO 10545-2	± 0,8	± 0,5	± 2,0	COMPLYING CONFORME	
		FOR RECTIFIED TILES PIASTRELLE RETTIFICATE		± 0,4	± 0,3	± 1,5		
	SURFACE FLATNESS PLANARITÀ	CENTRE CURVATURE	EN ISO 10545-2	± 0,8	± 0,5	± 2,0	COMPLYING CONFORME	
				FOR NON-RECTIFIED TILES PIASTRELLE NON RETTIFICATE	± 0,6	± 0,4		± 1,8
		EDGE CURVATURE		FOR NON-RECTIFIED TILES PIASTRELLE NON RETTIFICATE	± 0,8	± 0,5		± 2,0
				FOR RECTIFIED TILES PIASTRELLE RETTIFICATE	± 0,6	± 0,4		± 1,8
		WARPAGE		FOR NON-RECTIFIED TILES PIASTRELLE NON RETTIFICATE	± 0,8	± 0,5		± 2,0
				FOR RECTIFIED TILES PIASTRELLE RETTIFICATE	± 0,6	± 0,4		± 1,8
	WATER ABSORPTION ASSORBIMENTO D'ACQUA		EN ISO 10545-3	≤ 0,5%			≤ 0,2%	
	FLEXION RESISTANCE RESISTENZA ALLA FLESSIONE		EN ISO 10545-4	S ≥ 700 N ∇ < 7,5 mm			COMPLYING CONFORME	
				S ≥ 1300 N ∇ ≥ 7,5 mm				
				R ≥ 35 N/mm²				
	IMPACT RESISTANCE RESISTENZA ALL'URTO		EN ISO 10545-5	DECLARED VALUE VALORE DICHIARATO			> 0,80	
	COEFFICIENT OF LINEAR THERMAL COEFFICIENTE DI DILATAZIONE TERMICA LINEARE		EN ISO 10545-8	DECLARED VALUE VALORE DICHIARATO			α = 6,7x10 ⁻⁶ /C°	
	RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI		EN ISO 10545-9	TEST PASSED ACCORDING TO EN ISO 10545-1 TEST SUPERATO SECONDO EN ISO 10545-1			NO DAMAGE NESSUN DANNO	
	MOISTURE EXPANSION (IN MM/M) DILATAZIONE ALL'UMIDITÀ (IN MM/M)		EN ISO 10545-10	DECLARED VALUE VALORE DICHIARATO			MAX 0,1 mm / m	
	FROST RESISTANCE RESISTENZA AL GELO		EN ISO 10545-12	TEST PASSED ACCORDING TO EN ISO 10545-1 TEST SUPERATO SECONDO EN ISO 10545-1			NO DAMAGE NESSUN DANNO	
	RESISTANCE TO HOUSEHOLD AND SWIMMING POOL CHEMICAL PRODUCTS RESISTENZA AI PRODOTTI CHIMICI USO DOMESTICO E ADDITIVI PER PISCINA		EN ISO 10545-13	B MIN			COMPLYING CONFORME	
	RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALI RESISTENZA A BASSE CONCENTRAZIONI DI ACIDI E ALCALI		EN ISO 10545-13	DECLARED VALUE VALORE DICHIARATO			COMPLYING CONFORME	
	RESISTANCE TO HIGH CONCENTRATIONS OF ACIDS AND ALKALI RESISTENZA AD ALTE CONCENTRAZIONI DI ACIDI E ALCALI		EN ISO 10545-13	DECLARED VALUE VALORE DICHIARATO			COMPLYING CONFORME	
	RESISTANCE TO STAINS RESISTENZA ALLE MACCHIE		EN ISO 10545-14	CLASSE 3 MIN			COMPLYING CONFORME	
	LEAD AND CADMIUM DISCHARGE CESSIONE DI PIOMBO E CADMIO		EN ISO 10545-15	DECLARED VALUE VALORE DICHIARATO			< THAN INSTRUMENT LIMIT < AL LIMITE DI RILEVAMENTO	

notes | note
for specific certificates and data, contact Fincibec S.p.A | per i certificati specifici, e valori puntuali, contattare FINCIBEC SpA
with the exception of special pieces and decors | escluso pezzi speciali ed elementi decorativi

#ichooseresponsibly

Italian
Ceramics.
I choose
responsibility.

Responsibility towards the world I live in determines every choice I make in my daily life. Italian ceramic companies are dedicated to daily, concrete actions aimed at improving quality of life and respecting the environment.
Many companies in other countries do not share this commitment.



Learn more about the responsibility of Italian Ceramics



CONFINDUSTRIA CERAMICA



Ceramics of Italy
for Sustainability

ceramica.info



100% CERAMICS OF ITALY

These logos demonstrate a precise geographical location of origin and a way of running a business enterprise with the highest ethical and cultural values. The products made by Fincibec Group are wholly designed, developed and manufactured in Italy. Each collection is designed and checked in the group's three R&D laboratories and all the subsequent production stages are carried out exclusively in Italian facilities with Italian technology. By using the above-mentioned logos, the aim of Fincibec Group is to identify a work philosophy which, with the utmost respect for the environment and man, leads to the production of materials adhering to the highest standards of performance and aesthetics through the best use of all the resources available. Fincibec Group adheres to the 'Made in Italy' code of ethics promoted by the Italian industrial ceramics association, 'Confindustria Ceramica', and is committed to full transparency on the origin of its products market with the brand.

Questi loghi testimoniano una precisa indicazione geografica di provenienza ed un modo di fare impresa legato ai più alti valori etici e culturali. I prodotti realizzati da Fincibec Group sono completamente ideati, studiati e fabbricati in Italia. Ogni collezione viene progettata e verificata nei laboratori di ricerca e sviluppo del gruppo e tutte le successive fasi produttive sono realizzate esclusivamente all'interno di stabilimenti italiani con tecnologia italiana. Fincibec Group vuole identificare una filosofia di lavoro che, nel massimo rispetto dell'ambiente e dell'uomo, porti alla realizzazione di materiali secondo i più elevati standards prestazionali ed estetici attraverso l'ottimizzazione di tutte le risorse impiegate. Fincibec Group aderisce al codice etico sul Made in Italy promosso da Confindustria Ceramica con il quale tutte le aziende aderenti si impegnano alla massima trasparenza riguardo l'origine dei prodotti apponendovi il marchio.



certifications | certificazioni



CENTURY
Via Radici in Monte, 19
42014 Roteglia (RE) Italy
Tel. +39 0536 855511
century-ceramica.it
info@century-ceramica.it

MONOCIBEC
Via Valle d'Aosta, 47
41049 Sassuolo (MO) Italy
Tel. +39 0536 861300
monocibec.it
info@monocibec.it

NAXOS
Strada Statale 569, 169
41014 Solignano (Mo) Italy
Tel. +39 059 748811
naxos-ceramica.it
info@naxos-ceramica.it