

STONE INSTINCT



Verde
1999®
AN ITALIAN STORY



Limestone forever.


STONE INSTINCT

Colors and inspirations narrated by

Verde
1999®
AN ITALIAN STORY



Those who are able to perceive
the true essence of things
by observing simple details
and subtleties can fully
enjoy their beauty.



Maria Bartholomew
LIVE BEAUTIFUL



GRIGIO 60x120 . 24"x48" rett
GRIGIO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"



GRIGIO MOSAICO
30x30 . 12"x12"




GRIGIO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"

Mixing multiple sizes
creates intriguing contrasts for
a striking floor both
in and outdoors.

BRONZO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"



BRONZO 60x60 . 24"x24" rett
BRONZO 7.5x30 . 3"x12" rett



BRONZO
7.5x30 . 3"x12" rett



STONE INSTINCT

Stone Instinct, the emotion of stone combined with the stylistic needs of today's lifestyle are in perfect harmony with nature and design. Astute craftsmanship, fine raw materials, and cutting edge technology create a product with perfect chemistry.

BRONZO 60x120 . 24"x48" rett
BRONZO 30x60 . 12"x24" rett

Combining different sizes
in a pattern is a decorative
eye-catcher highlighted by
the light color of the tile.

BIANCO MULTISIZE R11
20x20 . 8"x8" - 20x40 . 8"x16" - 40x40 . 16"x16" - 40x60,8 . 16"x24"



BIANCO 120x120 . 48"x48" rett



BIANCO
120x120 . 48"x48" rett



BIANCO 60x120 . 24"x48" rett

The stone-like surface structure
blends artfully with the fine
texture of the graphic print,
lending a touch of novel
innovation to this
timeless product.



BEIGE 60x120 . 24"x48" rett



BEIGE MULTISIZE
 20x20 . 8"x8"
 20x40 . 8"x16"
 40x40 . 16"x16"
 40x60,8 . 16"x24"



BEIGE 100x100 . 40"x40" rett
BEIGE 100x100 . 40"x40" rett R11 2 cm
PEZZI SPECIALI BEIGE R11



BEIGE 100x100 . 40"x40" R11 2 cm
PEZZI SPECIALI BEIGE R11

STONE INSTINCT



BEIGE
7.5x30 . 3"x12" rett
100x100 . 40"x40" rett

STONE INSTINCT



BIANCO



BEIGE




BRONZO




GRIGIO

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse
Glasiertes feinsteinzeug in der masse gefärbt



sizes



120x120 . 48"x48" rett
BIANCO
BEIGE
BRONZO
GRIGIO



40x60,8 . 16"x24"
BIANCO
BEIGE
BRONZO
GRIGIO

40x60,8 . 16"x24" R11
BIANCO
BEIGE
BRONZO
GRIGIO



40x40 . 16"x16"
BIANCO
BEIGE
BRONZO
GRIGIO

40x40 . 16"x16" R11
BIANCO
BEIGE
BRONZO
GRIGIO




20x40 . 8"x16"
BIANCO
BEIGE
BRONZO
GRIGIO

20x40 . 8"x16" R11
BIANCO
BEIGE
BRONZO
GRIGIO



20x20 . 8"x8"
BIANCO
BEIGE
BRONZO
GRIGIO

20x20 . 8"x8" R11
BIANCO
BEIGE
BRONZO
GRIGIO



100x100 . 40"x40" rett
BIANCO
BEIGE
BRONZO
GRIGIO

100x100 . 40"x40" R11
BIANCO
BEIGE
BRONZO
GRIGIO



60x120 . 24"x48" rett
BIANCO
BEIGE
BRONZO
GRIGIO




60x60 . 24"x24" rett
BIANCO
BEIGE
BRONZO
GRIGIO




30x60 . 12"x24" rett
BIANCO
BEIGE
BRONZO
GRIGIO




7,5x30 . 3"x12" rett
BIANCO
BEIGE
BRONZO
GRIGIO



100x100 . 40"x40" rett R11
BIANCO
BEIGE
BRONZO
GRIGIO




Battiscopa
7x60,8 . 2 3/4"x24"
BIANCO
BEIGE
BRONZO
GRIGIO




Battiscopa
7x60 . 2 3/4"x24" rett
BIANCO
BEIGE
BRONZO
GRIGIO

Battiscopa
7x100 . 2 3/4"x40" rett
BIANCO
BEIGE
BRONZO
GRIGIO




Gradone
30x100 . 12"x40" rett
BIANCO
BEIGE
BRONZO
GRIGIO



Gradone
30x120 . 12"x48" rett
BIANCO
BEIGE
BRONZO
GRIGIO

STONE INSTINCT

MOSAICO 30x30 . 12"x12"




BIANCO



BEIGE



BRONZO




GRIGIO



Mosaico
30x30 . 12"x12"
5x5 . 2"x2"
BIANCO
BEIGE
BRONZO
GRIGIO



GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse
Glasiertes feinsteinzeug in der masse gefärbt




multisize | multisize R11

One box contents . Contenuto di una scatola . Contenu d'une boîte . Inhalt einer Schachtel


- 20x40 - 8"x16" : 1 pc
- 40x40 - 16"x16" : 2 pc
- 20x20 - 8"x8" : 2 pc
- 40x60,8 - 16"x24" : 1 pc

0,723 mq




We recommend modular laying with a 4/5 mm ³/₁₆" joint.
La posa modulare è consigliata con una fuga di 4/5 mm.
La pose modulaire est conseillée avec un joint de 4/5 mm.
Die modulverlegung wird mit einer mindestfuge von 4/5 mm empfohlen.

MODULARE A
SOLUTION 1



MODULARE A
SOLUTION 2




- 1 - 20x20 = 11,10%
- 2 - 20x40 = 11,10%
- 3 - 40x40 = 44,40%
- 4 - 40x60,8 = 33,40%

Laying sketch . Schemi di posa . Schémas de pose . Modulverlegungsbeispiele .


MODULARE B

- 1 - 20x20 = 14,30%
- 2 - 20x40 = 28,60%
- 3 - 40x40 = 57,10%




MODULARE C

- 1 - 20x20 = 25%
- 2 - 20x40 = 25%
- 3 - 40x40 = 50%




MODULARE D

- 1 - 20x20 = 11,10%
- 2 - 20x40 = 44,45%
- 3 - 40x40 = 44,45%




MODULARE E

- 1 - 20x40 = 50%
- 2 - 40x40 = 50%




MODULARE F

- 1 - 20x20 = 20%
- 2 - 40x40 = 80%



MODULARE G

- 1 - 20x20 = 20%
- 2 - 20x40 = 80%



STONE INSTINCT



Packing	Σ	pezzi pieces	m²	kg	kg	m²	box
120x120 . 48”x48” rett	9	1	1,44	29,00	1276,00	63,36	44
100x100 . 40”x40” rett	8,5	2	2,00	38,00	912,00	48,00	24
100x100 . 40”x40” R11	8,5	2	2,00	38,00	912,00	48,00	24
100x100 . 40”x40” rett R11 2 cm	20	1	1,00	42,47	891,87	21,00	21
60x120 . 24”x48” rett	8,5	2	1,44	27,50	1072,50	56,16	39
60x60 . 24”x24” rett	8,5	3	1,08	20,50	984,00	51,84	48
30x60 . 12”x24” rett	8,5	7	1,26	23,80	952,00	50,40	40
7,5x30 . 3”x12” rett	8,5	17	0,38	8,85	743,40	31,92	84
40x60,8 . 16”x24”	10	4	0,97	21,50	1290,00	58,20	60
40x60,8 . 16”x24” R11	10	4	0,97	21,50	1290,00	58,20	60
40x40 . 16”x16”	10	8	1,28	26,50	1272,00	61,44	48
40x40 . 16”x16” R11	10	8	1,28	26,50	1272,00	61,44	48
20x40 . 8”x16”	10	13	1,04	20,80	1123,20	56,16	54
20x40 . 8”x16” R11	10	13	1,04	20,80	1123,20	56,16	54
20x20 . 8”x8”	10	26	1,04	20,30	1096,20	56,16	54
20x20 . 8”x8” R11	10	26	1,04	20,30	1096,20	56,16	54
Multisize	10	6	0,72	16,00	640,00	28,92	40
Multisize R11	10	6	0,72	16,00	640,00	28,92	40
30x30 . 12”x12” Mosaico	8,5	8	0,72	15,68	-	-	-
7x100 . 2¾”x40” rett Battiscopa	8,5	6	-	8,35	350,70	-	42
7x60 . 2¾”x24” rett Battiscopa	8,5	15	-	13,91	556,40	-	40
7x60,8 . 2¾”x24” Battiscopa	10	15	-	14,00	560,00	-	40

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse
Glasiertes feinsteinzeug in der masse gefärbt



verde1999
ITALIAN CERAMICS
is a brand of
Gruppo Romani S.p.A. Industrie Ceramiche

Via Ghiarola Nuova, 158
41042 Fiorano Modenese,
Modena - Italy
tel +39 0536 832393
fax +39 0536 913591
verde1999.com
info@verde1999.com

TECHNICAL FEATURES*

Caratteristiche tecniche
Caractéristiques techniques
Technische eigenschaften

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse. Glasiertes feinsteinzeug in der masse gefärbt

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE RESULTS
	ISO 10545/2	Lunghezza e larghezza Length and width Longueur et largeur Länge und breite	± 0,5%	Conforme Conforms
	ISO 10545/2	SPESSORE THICKNESS EPAISSEUR STÄRKE	± 5%	Conforme Conforms
	ISO 10545/2	Ortogonalità Wedging Orthogonalité Rechtwinklichkeit	± 0,5%	Conforme Conforms
	ISO 10545/2	Planarità Warpage Planéité Ebenflächigkeit	± 0,5%	Conforme Conforms
		Variazioni di tono Shade variations Variations de nuance Tonvariationen		V2 LIEVE VARIAZIONE SLIGHT VARIATION LEGERE ABWEICHUNG V3 MODERATA VARIAZIONE MODERATE VARIATION VARIATION MODERÉE MASSIGE ABWEICHUNG
	ISO 10545/3	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	≤ 0,5%	Conforme Conforms
	ISO 10545/4	Resistenza alla flessione Bending strength Resistance a la flexion Biegefestigkeit	R > 35 N/mm²	Conforme Conforms
	ISO 10545/11	Resistenza al cavillo Crazing resistance Resistance au trassilage Haarriissfestigkeit		Resiste Resistant Résiste Beständig
	ISO 10545/13	Resistenza all'attacco chimico Chemical resistance Resistance à l'attaque chimique Fähig gegen säuren und laugen	min. gb	Classe A-LA-HA Class A-LA-HA Classe A-LA-HA Gruppe A-LA-HA
	ISO 10545/14	Resistenza alle macchie Stain resistance Resistance aux taches Fleckenfestigkeit	min 3	Classe 5 Class 5 Classe 5 Gruppe 5
	ISO 10545/12	Resistenza al gelo Frost resistance Resistance au gel Frostbeständigkeit		Resiste Resistant Résiste Beständig
	ISO 10545/7	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l'abrasion de la surfacedes carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen		Classe 3-4 Class 3-4 Classe 3-4 Gruppe 3-4
	B.C.R.A. REP. CEC.6/81 DIN 51130 DIN 51097 BOT 3000 DCOF	Resistenza alla scivolosità. Coefficiente di attrito medio Skid resistance. Average coefficient of friction Résistance au glissement. Coéfficient de frottement moyen Rutschfestigkeit. Mittlerer Reibungswert	B.C.R.A. REP. CEC. 6/81 DIN 51130 DIN 51097 DCOF	$f_{M1} \geq 0,40$ R10 Classe B Class B Classe B Gruppe B $f_{M1} \geq 0,42$ R11 Classe C Class C Classe C Gruppe C
		Resistenza della superficie (scala MOHS) Scratch hardness (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	EN 101	≥ 6

* THESE VALUES MAY VARY FROM LOT TO LOT.

Verde
1999[®]
AN ITALIAN STORY